

# 2504510 - S/4HANA: MMSC SYSTEM\_ABAP\_ACCESS\_DENIED

Version	3	Type	SAP Knowledge Base Article
Language	English	Master Language	English
Release Status	Released to Customer	Category	Problem
Component	LO-MD-MM (Material Master)	Released On	16.11.2017

Please find the original document at <https://launchpad.support.sap.com/#/notes/2504510>

## Symptom

When you execute transaction MMSC you will receive an ABAP programming error "SYSTEM\_ABAP\_ACCESS\_DENIED".

## Environment

- SAP ERP Logistics (LO)
- SAP S/4HANA, on-premise 1610 (FPS02 and higher)
- SAP S/4HANA, on-premise 1709

## Reproducing the Issue

1. EXECUTE Transaction MMSC
2. The system will produce the following dump:

```

200      EXIT.
201  ELSE.
202      IF SY-DATAR = 'X' AND READ_SY_DATAR = 'X'.
203          CALL TRANSACTION OBJECT_NAME WITHOUT AUTHORITY-CHECK AND SKIP FIRST SCREEN. " a
204      ELSE.
205          CALL TRANSACTION OBJECT_NAME WITHOUT AUTHORITY-CHECK. " authority is checked in
206      ENDIF.
207  ENDIF.
>>>>  IF CONTROL_INSTANCE = 'X'.
209      DO.
210          CALL_SY_TCODE = SY-TCODE.
211          SY-TCODE = SAVE_SY_TCODE.      "#EC WRITE_OK
212 *      SY-DATAR = SAVE_SY_DATAR.
213          IF CALL_SY_TCODE = 'SESSION_MANAGER' OR CALL_SY_TCODE = SPACE
214                                  OR CALL_SY_TCODE = 'SESS'
215                                  OR CALL_SY_TCODE = 'SMEN'
216                                  OR CALL_SY_TCODE = 'SES0'.
217          IF CALL_SY_TCODE <> SPACE.
218              MESSAGE I375(S#) WITH CALL_SY_TCODE.
219          ENDIF.
220          EXIT.
221      ENDIF.
222 * >>>>      vjb 16 Nov 2007: note 1115495
223 *      PERFORM KERNEL_CHECK_AUTHORITY USING CALL_SY_TCODE
224 *                                  CHANGING CANCEL_FLAG.
225      CALL FUNCTION 'SMTR_KERNEL_CHECK_AUTHORITY'
226      EXPORTING
227          P_OBJECT_NAME      = CALL_SY_TCODE

```

#### Active Calls/Events

No.	Ty.	Program	Include	Line
Name				
6	FUNCTION	SAPLSMTR_NAVIGATION_MODULES	LSMTR_NAVIGATION_MODULESU03	20
		NAVIGATION_EXECUTE_OBJECT_HELP		
5	FUNCTION	SAPLSMTR_NAVIGATION_MODULES	LSMTR_NAVIGATION_MODULESU02	25
		NAVIGATION_EXECUTE_OBJECT		
4	FORM	SAPLSMTR_NAVIGATION	LSMTR_NAVIGATIONF17	55
		UCOMM_START_TRANSACTION		
3	FORM	SAPLSMTR_NAVIGATION	LSMTR_NAVIGATIONF17	106
		UCOMM_HANDLE_OK_CODE		
2	FORM	SAPLSMTR_NAVIGATION	LSMTR_NAVIGATIONF10	2
		UCOMM_USER_COMMAND		
1	MODULE (PAI)	SAPLSMTR_NAVIGATION	LSMTR_NAVIGATIONI01	
		USER_COMMAND_0100		

```

200      EXIT.
201  ELSE.
202      IF SY-DATAR = 'X' AND READ_SY_DATAR = 'X'.
203          CALL TRANSACTION OBJECT_NAME WITHOUT AUTHORITY-CHECK AND SKIP FIRST SCREEN. " s
204      ELSE.
205          CALL TRANSACTION OBJECT_NAME WITHOUT AUTHORITY-CHECK. " authority is checked in
206      ENDIF.
207  ENDIF.
>>>>  IF CONTROL_INSTANCE = 'X'.
209      DO.
210          CALL_SY_TCODE = SY-TCODE.
211          SY-TCODE = SAVE_SY_TCODE.      "#EC WRITE_OK
212  *      SY-DATAR = SAVE_SY_DATAR.
213          IF CALL_SY_TCODE = 'SESSION_MANAGER' OR CALL_SY_TCODE = SPACE
214                                  OR CALL_SY_TCODE = 'SESS'
215                                  OR CALL_SY_TCODE = 'SMEN'
216                                  OR CALL_SY_TCODE = 'SES0'.
217          IF CALL_SY_TCODE <> SPACE.
218              MESSAGE I375(S#) WITH CALL_SY_TCODE.
219          ENDIF.
220          EXIT.
221      ENDIF.
222  * >>>>      vjb 16 Nov 2007: note 1115495
223  *      PERFORM KERNEL_CHECK_AUTHORITY USING CALL_SY_TCODE
224  *                                  CHANGING CANCEL_FLAG.
225      CALL FUNCTION 'SMTR_KERNEL_CHECK_AUTHORITY'
226      EXPORTING
227          P_OBJECT_NAME      = CALL_SY_TCODE

```

#### Active Calls/Events

No.	Ty.	Program	Include	Line
Name				
6	FUNCTION	SAPLSMTR_NAVIGATION_MODULES	LSMTR_NAVIGATION_MODULESU03	20
		NAVIGATION_EXECUTE_OBJECT_HELP		
5	FUNCTION	SAPLSMTR_NAVIGATION_MODULES	LSMTR_NAVIGATION_MODULESU02	25
		NAVIGATION_EXECUTE_OBJECT		
4	FORM	SAPLSMTR_NAVIGATION	LSMTR_NAVIGATIONF17	55
		UCOMM_START_TRANSACTION		
3	FORM	SAPLSMTR_NAVIGATION	LSMTR_NAVIGATIONF17	106
		UCOMM_HANDLE_OK_CODE		
2	FORM	SAPLSMTR_NAVIGATION	LSMTR_NAVIGATIONF10	2
		UCOMM_USER_COMMAND		
1	MODULE (PAI)	SAPLSMTR_NAVIGATION	LSMTR_NAVIGATIONI01	
		USER_COMMAND_0100		

### Cause

- As per SAP Note [2340925](#) MMSC is Deprecated, No workaround
- The transaction has been marked blacklisted in S/4 HANA 1610 FPS02 onwards in future release of S4

### Resolution

Kindly note that the transaction MMSC has been whitelisted again as part of SAP Note [2518816](#).

Please keep in mind since this transaction will no longer have any usage for MRP, as planning on storage location level no longer works, and MRP Areas should be used instead.

- As substitute, the customer should use transaction MM01 to enhance materials for different storage locations, there is no other substitute or workaround.
- In Fiori using Product Master Fiori Application you can assign storage location to a Material.

See Also

- SAP Note [2249880](#) - Dump SYSTEM\_ABAP\_ACCESS\_DENIED caused through Blacklist Monitor in SAI S/4HANA on premise

Keywords

SAPLSMTR\_NAVIGATION\_MODULES, LSMTR\_NAVIGATION\_MODULESU3, Feature Pack Stack 02, FPS02  
Deprecated, blacklisted

Products

SAP S/4HANA 1610  
SAP S/4HANA 1709

This document refers to

SAP Note/KBA	Title
2518816	<a href="#">Re-Enabling Tr. MMSC in S/4 HANA 1610 FPS02 release onwards</a>
2340925	<a href="#">SAP S/4HANA 1610 FPS02 : Few of SAP GUI Transactions are not available or redirected to other transactions</a>
2249880	<a href="#">Dump SYSTEM_ABAP_ACCESS_DENIED caused through Blacklist Monitor in SAP S/4HANA on premise</a>